

STIRRUPS



100140 SS



100139 SS



132 SS



100141 SS



100148 SS



106A SS



106A SB



100145 MS



130 SS Step 1



130 SS Step 2



130 SS Step 3

Art. No.	Description	Sizes available (cm)
100140 SS	Fillis Stirrups Off Set Eyelet	12cm
100139 SS	Fillis Stirrups Bling Pink Crystals	12cm
132 SS	Flexi Stirrup	11.5cm, 12cm, 12.5cm
100141 SS	Flexi Stirrup 3 Slots	11.5cm, 12cm, 12.5cm
100148 SS	Flexi Stirrup	12cm
106 A SS	Safety Stirrup Double Side, Oval Eyelet	11cm, 11.5cm, 12cm
106 A SB	Safety Stirrup Brass, Double Side, Oval Eyelet	11cm, 11.5cm, 12cm
100145 MS	Wire Safety Stirrup Double Side Powder Coated	11cm, 11.5cm, 12cm
130 SS	Break away Stirrup	10cm, 11cm, 12cm



136 SS



133 SS



123 SS



123 SB



128 SS



129 SS



135 SS



125 SB



126 SB



127 SS




127 SB

Art. No.	Description	Sizes available (cm)
136 SS	4 Bar Wire Safety Stirrup	11cm, 11.5cm, 12cm
133 SS	Military Stirrup	12cm
123 SS	Australian Stirrup	12.5cm
123 SB	Australian Stirrup Solid Brass	12.5cm
128 SS	Spanish Stirrup	12.5cm
129 SS	Spanish Stirrup	12.5cm
135 SS	Spanish Stirrup	11cm, 11.5cm, 12cm
125 SB	Portugese Stirrup	11.5cm, 12.5cm, 13.5cm
126 SB	Portugese Stirrup	11.5cm, 12.5cm, 14cm
127 SS	Portugese Stirrup	11.5cm, 12.5cm, 14cm
127 SB	Portugese Stirrup	11.5cm, 12.5cm, 14cm

LOOSE RING BITS



152 CUP



1567 SS Hollow Mouth



161 A SS Curved Mouth



161 A CUP Curved Mouth



200 SS Twisted joints offset 45 Degree



1582 SB Twisted Joints
offset 45 degree, Curved Mouth



1507 CUP



1551 SS Pinchless



1528 SS



1557 CUP Bent joints.



1508 SS
Lock Up
Function



1562 SS
Lock Up
Function



1530 CUP Twisted Joints



192 CUP

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
152 CUP	Wire Ring Snaffle Cuprium Mouth W/SB Rings	8.5cm, 9.5cm, 10.5cm, 11cm, 11.5cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15.5cm, 16.5cm	14mm, 16mm 18mm, 21mm	50mm, 55mm 65mm, 70mm
1567 SS	Loose Ring Jointed Hollow Mouth Bit	11.5cm	14mm, 16mm 18mm, 21mm	50mm, 55mm 65mm, 70mm
161 A SS	Loose Ring Curved Mouth Bit	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm, 16.5cm, 17.5cm	16mm	65mm, 70mm
161 A CUP	Loose Ring Curved Mouth Cuprium Bit	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 10.5cm, 11cm, 11.5cm, 14.5cm	16mm 19mm	65mm, 70mm 70mm
200 SS	Turnado Bit, Twisted Joints	12.5cm, 13.5cm, 14.5cm	16mm, 21mm	65mm, 70mm
1582 SB	Loose Ring 45 Degree offset Curved Mouth	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15.5cm, 16.5cm	16mm	65mm, 70mm
1507 CUP	Loose Ring single Jointed Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	21mm	65mm, 70mm
1551 SS	Pinchless Loose Ring Bit	12.5cm, 13.5cm,	19mm	70mm
1528 SS	Loose Ring single Jointed Bit	13.5cm,	16mm	65mm, 70mm
1557 CUP	Verbindend Loose Ring Bit	10.5cm, 11cm, 11.5cm, 12.5cm	12mm	55mm, 65mm, 70mm
1508 SS	Loose Ring lockup function	13.5cm,	16mm	65mm, 70mm
1562 SS	Loose Ring lockup function	10.5cm, 11cm, 11.5cm, 14.5cm	19mm	65mm, 70mm
1530 CUP	Turnado Bit, Twisted Joints, 2 Loop Rings	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm, 15.5cm, 16cm, 16.5cm, 17.5cm, 18.5cm	18mm	65mm
192 CUP	Balding Gag Jointed Bit			



195 A SS Link CUP



1529 CUP




1561 CUP Curved Mouth



1581 SB 45 Degree Offset



158 SS (Tolt Link)



158 A (KK Link)



158 SS KK Copper Link



164 SS



188 CUP




1568 SS Tolt Link



1568 CUP Tolt Link




155 CUP, SS Rings



155 Link CUP Rings SB



177 CUP



3155 SS (CUP Link)

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
195 A SS	Balding Gag Jointed Bit W/ Cuprium Link KK	11cm, 11.5cm, 12cm, 12.5cm, 13.5cm	14mm	65mm
1529 CUP	Loose Ring Double Jointed Cuprium Bit W/ KK Link & 2 Loop Rings	10.5cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15.5cm, 16.5cm, 17.5cm	16mm	70mm
1561 CUP	Gag Bit Loose Ring Double Jointed Curved Mouth Cuprium Bit	12.5cm	16mm	70mm
1581 SB	Loose Ring 45 Degree angled Solid Brass Gag Bit, KK Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm, 16mm	80mm
158 SS	Loose Ring Snaffle Double Jointed W/Tolt Link	12.5cm, 13.5cm	16mm	55mm,65mm,70mm
158 A SS	Loose Ring Snaffle Double Jointed W/ KK Link	9.5cm, 10cm, 10.5cm, 11cm, 11.5cm, 12.5cm,13cm, 13.5cm, 14.5cm,16cm	14mm	55mm,65mm,70mm
158 SS Copper link	Loose Ring Snaffle Double Jointed W/Tolt Link	12.5cm, 13.5cm	16mm	55mm,65mm,70mm
164 SS	Loose Ring Double Jointed Snaffle Curved Link	9.5cm, 10cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm, 16cm	14mm	55mm,65mm,70mm
188 CUP	Loose Ring Double Jointed W/ KK Link	11.5cm, 12.5cm, 13.5cm,14.5cm, 15.5cm	14mm, 16mm, 18mm	70mm
1568 SS	Loose Ring Dbl Jointed with Tolt Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	16mm	55mm,65mm,70mm
1568 CUP	Loose Ring Dbl Jointed with Tolt Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	16mm	55mm,65mm,70mm
155 CUP, SS Rings	Loose Ring Quarter Moon Cuprium Bit	10cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm	12mm	55mm,65mm,70mm
155 SS with SB Ring	Loose Ring Quarter Moon Bit With SB Rings	10cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm	12mm	55mm,65mm,70mm
177 CUP	Loose Ring Double Jointed Cuprium Bit W/ Ball Link	11.5cm, 12.5cm, 13.5cm, 14cm	15mm	55mm,65mm,70mm
3155 A SS	Loose Ring Flat Mouth Q. Moon Bit W/Cuprium Link	11cm, 11.5cm, 12.5cm	13mm	55mm,65mm,70mm



1502 SS




1502 A SS, Centre Link CUP



181 SI Copper Link, MS SI Rings



1506 SS




1503 SS




1510 SS Roller Mouth
Independent Revolving Movement



1569 SS Roller Mouth,
Independent Side Movement



1592 SI Roller Mouth,
Independent Side Movement




1592 SS Mouth,
Independent Side Movement




1511 SS Link Copper



1513.14 SS Link CUP



1523 SS Curved Mouth



1523 A CUP Greater Curve

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
1502 SS	Loose Ring Multi Link Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm	55mm,65mm,70mm
1502 A SS	Loose Ring Multi Link Bit W/Cuprium Center Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm	65mm, 70mm
181 SI	Loose Ring Double Jointed Sweet Iron Bit W/MS SI Rings	10.5cm, 11cm, 12cm, 12.5cm, 13.5cm	12mm	55mm,65mm,70mm
1506 SS	Loose Ring Tongue Freedom Mouth With Curved Link	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm	12mm	55mm,65mm,70mm
1503 SS	Loose Ring Double Jointed Ball Link Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm, 20mm	55mm,65mm,70mm
1510 SS	Loose Ring Roller Mouth with Copper Inlays, Independent side Movement for Better Control	11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	55mm,65mm,70mm
1569 SS	Loose Ring Roller Mouth Bit, Independent Side Movement	11.5cm, 12.5cm, 13.5cm, 14cm, 14.5cm	11mm	55mm,65mm,70mm
1592 SI	Loose Ring Sweet Iron Roller Bit with Copper Roller	11.5cm, 12.5cm, 13.5cm, 14cm, 14.5cm	11mm	55mm,65mm,70mm
1592 SS	Loose Ring Sweet Iron Roller Bit with Copper Roller	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	9mm	55mm,65mm,70mm
1511 SS	Loose Ring Double Jointed Mouth with Copper Flat Link	10.5cm, 11cm, 11.5cm,12.5cm	12mm	65mm
1513.14 SS	Loose Ring Double Jointed W/ KK Link	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 13.5cm, 14cm, 14.5cm, 15.5cm	14mm	55mm, 65mm
1523 SS	Loose Ring Double Jointed Curved Mouth Bit W/ KK Link	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm 13.5cm 14.5cm,15cm, 16.5cm, 17.5cm	14mm	50mm,55mm,65mm
1523 A CUP	Loose Ring Double Jointed Greater Curve Cuprium Bit W/ KK Link	10.5cm, 11cm, 11.5cm	12mm	50mm,55mm,65mm



1533 CUP Bent Joints,
45 Degree Offset Mouth



1556 CUP Bent Joints



190 SS Offset Mouth



1566 CUP Offset 35 Degree Angle



1572 CUP 45 Degree Offset,
Tapered Mouth



1573 CUP 45 Degree Offset,
Curved Mouth



1576 SB 45 Degree Offset



1576 CUP 45 Degree Offset



1580 SB 45 Degree Offset



1591 CUP 45 Degree Offset



1577 SS Flexible Mouth



1578 SS Roller Mouth

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
1533 CUP	Verbindend Loose Ring Dble Jointed At 45 Degree Angle Cuprium Bit W/KK curved link	10cm, 10.5cm, 11cm, 11.5cm	14mm	50mm,55mm,65mm
1556 CUP	Verbindend Loose Ring Dble Jointed Cuprium Bit W/KK link	13.5cm	16mm	65mm, 70mm
190 SS	Loose Ring Hinge Ported Offset Mouth	10.5cm, 11cm, 11.5cm, 12.5cm	12mm	55mm,65mm,70mm
1556 CUP	Verbindend Loose Ring Dble Jointed Cuprium Bit W/KK link	13.5cm	16mm	65mm, 70mm
1572 CUP	Loose Ring 45 Degree Angle Tappered Mouth with Arch	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	16mm	55mm,65mm,70mm
1573 CUP	Loose Ring 45 Degree Angle Curved Tappered Mouth with Arch Link Cup	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	16mm	55mm,65mm,70mm
1576 SB	Loose Ring 45 Degree angle with Double Rollers in KK Link in Solid Brass	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	16mm, 18mm	55mm,65mm,70mm
1576 CUP	Loose Ring 45 Degree Angle with Double Rollers in KK Link	11.5cm, 12cm, 12.5cm,	16mm, 18mm	55mm,65mm,70mm
1580 SB	Loose Ring Double Jointed 45 Degree Angled Solid Brass, with KK Link SB	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm, 16mm	55mm,65mm,70mm
1591 CUP	Loose Ring Double Jointed 45 Degree Angled Curved Mouth with KK Curved Link CUP	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm, 16mm	55mm,65mm,70mm
1577 SS	Loose Ring U Shaped Flexible Mouth	11.5cm, 12cm, 12.5cm	14mm	55mm,65mm,70mm
1578 SS	Loose Ring Roller Mouth with Dble Copper Rowels with Copper Inlays	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	9mm	55mm,65mm,70mm



1509 CUP



1509 SS



180 A SS



1558 CUP



1559 CUP



1574 SI



1575 SI

TONGUE BITS



183 SS



189 CUP




189 SS

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
1509 CUP	Loose Ring Mullen Mouth center Part Oval Profile	13.5cm	16cm	65mm, 70mm
1509 SS	Loose Ring Mullen Mouth Center Part Oval Profile	13.5cm	16cm	65mm, 70mm
180 A SS	Loose Ring Fixed Ported Mouth	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm	12mm	55mm,65mm,70mm
1558 CUP	Loose Ring Hing Ported Mouth	13.5cm	16mm	65mm, 70mm
1559 CUP	Loose Ring Soft Cambridge mouth Cuprium Bit	13.5cm	16mm	65mm, 70mm
1574 SI	Loose Ring Sweet Iron Cambridge Mullen Mouth with Copper Rollers	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm	55mm,65mm,70mm
1575 SI	Loose Ring Sweet Iron Soft Cambridge Mullen Mouth with Copper Rollers	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm	55mm,65mm,70mm
183 SS	Loose Ring Closed Spoon Mouth Bit	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm,18mm	55mm,65mm,70mm
189 CUP	Loose Ring Tongue Bit Cuprium Mouth	11cm, 11.5cm, 12.5cm, 13.5cm	12mm	55mm,65mm,70mm
189 SS	Loose Ring Tongue Bit	11cm, 11.5cm, 12.5cm, 13.5cm	12mm	55mm,65mm,70mm

EGG BUTT BITS



2242 SS Roller Mouth,
Independent Side Movement



2245 SS Roller Mouth,
Independent Side Movement



20 2 2262 SS Roller Mouth,
Independent Side Movement



20 2 2262 SI Roller Mouth,
Independent Side Movement



216A CUP



234 CUP




20 2 2258 SI



20 2 2259 SS
French Link Copper



20 2 2259 SI, French Link Copper



219 CUP, French Link



20 2 2260.16 SI, KK link Copper

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
2242 SS	Eggbutt Roller Mouth Bit with Independent Side Movement	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	11mm	65mm
2245 SS	Eggbutt Roller Mouth Bit with Dble Copper Rollers with Copper Inlays with Independent Side Movement	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	9mm	75mm
20 2 2262 SS	Eggbutt Roller Mouth Bit with CO Roller	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	11mm	65mm
202 2262 SI	Eggbutt Roller Mouth Sweet Iron Bit with CO Roller	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	11mm	65mm
216 A CUP	EggBut Snaffle Cuprium Mouth W/ Oval Rings	10.5cm, 11cm, 11.5cm	18mm	70mm
234 CUP	EggBut Snaffle Cuprium Mouth W/ Oval Rings	10.5cm, 11cm, 11.5cm	18mm	70mm
20 2 2258 SI	EggButt Single jointed Sweet Iron Bit with Copper Inlays with Oval Rings	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	70mm
20 2 2259 SS	Eggbutt French Link Copper with Oval Rings	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	70mm
20 2 2259 SI	Eggbutt Sweet Iron Bit with French Link CO and Oval Rings	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	70mm
219 CUP	Eggbutt French Link with Oval Rings	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	15mm	70mm
20 2 2260 SI	Eggbutt Double Jointed Sweet Iron Bit with KK Link CO	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	65mm



2225 SS



2225 CUP



249 B SS KK Link Copper



225 CUP



218 CUP



2221 SS




214 SS



228 SS



231 CUP



231 SS



239 CUP



237 SS Curved Mouth Link CUP

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
2225 SS	Eggbut Snaffle Jointed Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	65mm
2225 CUP	Eggbutt Snaffle Double Jointed Cuprium Bit W/ KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	65mm
249 B SS	Eggbut Bit Double Jointed, KK Link Copper	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm	70mm
225 CUP	Eggbutt Snaffle Double Jointed Cuprium Bit W/ KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	65mm
218 CUP	Eggbutt Jointed Cuprium Mouth	10.5cm, 11cm, 11.5cm	18mm	70mm
2221 SS	Eggbut Snaffle Tongue Freedom Mouth with Curved Link	12.5cm, 13.5cm	14mm	65mm
214 SS	Tounge Bit Thin Solid Mouth	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	13mm	45mm, 55mm
228 SS	Eggbut Quarter Moon Bit	11.5cm, 12cm, 12.5cm, 13.5cm, 14.5cm	12mm	65mm, 70mm
231 CUP	Eggbutt Snaffle Double Jointed Cuprium Bit W/ KK Link & Flat Rings	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	65mm
231 SS	Eggbutt Snaffle Double Jointed Bit W/ KK Link & Flat Rings	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	65mm
239 CUP	Eggbutt Snaffle Double Jointed Cuprium Bit W/ Tolt Link & Flat Rings	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	65mm
237 SS	Eggbut Double Jointed curved Mouth W/ KK Link	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm, 16.5cm, 17.5cm	12mm	65mm



2250 CUP Curved Mouth



2231 CUP Curved Mouth



250 SB 45 Degree Offset Curved Mouth



2228 CUP Bent joint



20 2 2256 SS Bent Joint



20 2 2256 SI Bent Joint



20 2 2261 CUP Bent Joint,
45 Degree offset



2247 CUP 45 Degree Angle



2247 SS 45 Degree Angle



248 SS Flexible Mouth

Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)
2250 CUP	Eggbutt Curved Mouth Single Jointed, Oval Rings	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	12mm, 14mm	70mm
2231 CUP	Eggbutt Curved Mouth Double Jointed, KK Link CUP	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	12mm, 14mm, 16mm	55mm
250 SB	Eggbutt Twisted Joints at 45 Degree angle Curved Mouth Single Jointed Solid Brass Ring SS Flat	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	18mm	65mm
2228 CUP	Verbindend Eggbutt Dble Jointed W/ KK Link	13.5cm	16mm	65mm
20 2 2256 SS	Eggbutt Dble Jointed Bent Joints, KK Link CO	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	65mm
20 2 2256 SI	Eggbutt Sweet Iron Dble Jointed Bent Joints, KK Link CO	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	65mm
20 2 2261 CUP	Eggbutt Double Joint Bent Joints with 45 Degree Angle, Curved KK Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm, 16mm	65mm
2247 CUP	Eggbutt Bit Double Jointed 45 Degree Angle, KK Curved Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm, 16mm	65mm
2247 SS	Eggbutt Bit Double Jointed 45 Degree Angle, KK Curved Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm, 16mm	65mm
248 SS	Eggbutt U Shaped Flexible Mouth	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	65mm



242 SS



246 CUP Curved Mouth



232 SS



238 SS



20 2 2257 SS



2230 CUP

BAUCHER BITS



2237 SS




2237 CUP



2244 CUP, KK Link Double Rowels
45 Degree offset mouth



21 2 2253 SS, Roller Mouth
Independent Side Movement



21 2 2251 CUP, Curved Mouth




21 2 2252 CUP, Curved Mouth


Art. No.	Description	Sizes available (cm)	Thickness(mm)	Ring Dia(mm)	Cheek Length
242 SS	Gag Bit Eggbutt Single Jointed	12.5cm, 13.5cm, 14.5cm	20mm	65mm	
246 CUP	Gag Bit Eggbutt Dble Jointed Curved Mouth W/ KK Link	13.5mm	16mm	80mm	
232 SS	Egg Butt Snaffle Mullen Mouth	9.5cm, 10cm, 11.5cm, 12cm, 12.5cm, 13.5cm	12mm	45mm, 50mm 55mm	
238 SS	Eggbutt Snaffle Cambridge Mouth	10.5cm, 11.5cm, 12.5cm	10mm	60mm	
20 2 2257 SS	Eggbutt Soft Cambridge Mouth	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	65mm	
2230 CUP	Eggbutt Snaffle Hing Ported Mouth	13.5cm	16mm	65mm	
2237 SS	Baucher Bit Dbl Broken SS Tolt Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	50mm	105mm
2237 CUP	Baucher Bit Dbl Broken CUP Tolt Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	50mm	105mm
2244 CUP	Baucher Bit 45 Degree angle, KK Link with Double Rowels, Shank Bent out Wards	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	16mm	50mm	105mm
21 2 2253 SS	Baucher Bit Roller Mouth with Dble Copper Rowels with Copper Inlays	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	9mm	50mm	105mm
21 2 2251 CUP	Baucher Bit Curved Mouth Single Jointed, Cheeks Shank Bent outwards	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	12mm, 14mm 16mm	50mm	110mm
21 2 2252 CUP	Baucher Bit Curved Mouth Double Jointed, Cheeks Shank Bent outwards, KK Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	12mm, 14mm 16mm	50mm	110mm



209 A CUP with Bent Shanks



226 SI Tolt Link Copper



229 A CUP



229 SS Tolt Link CO.



235 A SS Multi Link



2229 A CUP
Bent Joints



21 2 2263 A CUP
Hinge Port Offset



21 2 2264 A CUP
Soft Cambridge Mouth



12.5cm, 13.5cm, 14.5cm



21 2 2262 SS Revolving Mouth,
Revolving upper Ring

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
209A CUP	Baucher Bit Solid Cuprium Mouth, Cheeks with Bent Shanks	11.5, 12.5cm, 13.5cm, 14.5cm, 15cm	20mm	50mm	105mm
226 SI	Baucher Bit Double Jointed Sweet Iron Mouth W/ Tolt Link Copper	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm	14mm	50mm	105mm
229 A CUP	Baucher Bit Double Jointed Cuprium Mouth W/ Tolt Link, Cheeks with Bent Shanks	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm	16mm	50mm	105mm
229 SS	Baucher Bit Double Jointed Mouth W/ Tolt Link Copper	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm	16mm	50mm	105mm
235 A SS	Baucher Bit Multi Link, Cheeks with Bent Shanks	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	50mm	105mm
2229 A CUP	Verbindend Baucher Bit, Cheeks with Bent Shanks	12.5cm, 13.5cm, 14.5cm, 15cm	18mm	50mm	105mm
21 2 2263 A CUP	Baucher Bit Hinge Ported Offset Mouth, Cheeks Shank Bent outwards	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm	50mm	110mm
21 2 2264 A CUP	Baucher Bit Soft Cambridge Mouth, Cheeks Shank Bent outwards	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm	50mm	110mm
21 2 2262 SS	Baucher Bit Curved Low port Revolving Mouth, Upper Ring Revolving	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm	65mm	110mm

DEE BITS



262 CUP



274 SS



278 SS Curved Mouth



283 CUP Curved Mouth



293 CUP Bent Joints



269 SS




273 SS Curved
Mouth, Pinch Less Ring



273 A CUP Curved Mouth



272 SS



275 SS



276 SS



277 SS

Art. No.	Description	Sizes (cm)	Mouth Thickness	Ring Dia mm
262 CUP	Dee Bit Solid Cuprium Mouth	7.5cm, 10cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	12mm, 14mm	65mm
274 SS	Dee Bit Hunter Mouth	12.5cm, 13.5cm, 14cm, 14.5cm, 15cm, 16.5cm, 17.5cm	12mm	80mm, 90mm
278 SS	Dee Bit Curved Mouth	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm, 16.5cm, 17.5cm	12mm	80mm, 90mm
283 CUP	Dee Bit Curved Cuprium Mouth W/ Flat Rings	11.5cm, 12.5cm, 13.5cm	14mm	65mm
293 CUP	Verbindend Dee Bit Single Jointed	11.5cm, 12cm, 12.5cm, 13.5cm, 14.5cm	14mm	80mm
269 SS	Dee Bit Quarter Moon	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm	55mm, 65mm
273 SS	Dee Bit Curved Mouth W/ KK Link & Pinchless Flat Rings	10cm, 10.5cm, 11cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm, 80mm
273 A CUP	Dee Bit Curved Cuprium Mouth W/ KK Link & Flat Rings	10cm, 11cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm, 80mm
272 SS	Dee Bit Double Jointed W/ KK Link	12cm, 12.5cm, 13.5cm, 14cm, 15cm, 16.5cm	14mm	55mm, 65mm, 70mm
275 SS	Dee Bit Hunter Mouth with French link	12.5cm, 13.5cm, 14.5cm	12mm	80mm
276 SS	Dee Bit Broben Sogunda Mouth	12.5cm, 13.5cm, 14.5cm	10mm	80mm
277 SS	Dee Bit Multi Link Bit	12.5cm, 13.5cm, 14.5cm	18mm	70mm



279 CUP Curved Mouth



279 A SS
Curved Mouth



281 SS



290 SS Roller Mouth



291 SS Roller Mouth



299 SS Roller Mouth



284 CUP Bent Joints



25 20 302 CUP Curved Mouth

45 Degree Angle View

Inside View



297 CUP 45 Degree Angle



294 SS (Lock Up and Pinch Free)



25 20 300 SI Cambridge Mouth



25 20 301 SI Soft Cambridge Mouth

Art. No.	Description	Sizes (cm)	Mouth Thickness	Ring Dia mm
279 CUP	Dee Bit Curved Mouth Cuprium	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm	12mm	80mm, 90mm
	Bit W/ KK Link	14.5cm, 15cm, 16.5cm, 17.5cm		
279 SS	Dee Bit Curved Mouth W/ Cuprium KK Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm	12mm	80mm, 90mm
		14.5cm, 15cm, 16.5cm, 17.5cm		
281 SS	Dee Bit Tongue Freedom Mouth W/ Curved Link & Flat Rings	12.5cm, 13.5cm, 14.5cm	12mm	65mm
290 SS	Dee Bit Roller Mouth with Copper Inlays, Independent Side Movement for Better Control	10.5cm, 11.5cm, 12cm, 12.5cm, 13.5cm	9mm	70mm
		14cm, 14.5cm		
291 SS	Gag Dee Bit Roller Mouth with Copper Inlays, Independent Side Movement	10.5cm, 11.5cm, 12cm, 12.5cm, 13.5cm	9mm	9mm
		14cm, 14.5cm		
299 SS	Dee Bit Roller Mouth, Independent Side Movement	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	70mm
284 CUP	Verbindend Gag Dee Bit Bent Joints W/ KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	80mm
25 20 302 CUP	Dee Bit Curved Mouth Double Jointed, Rings SS Flat, KK link	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	65mm
294 SS	Dee Bit Lockup Function with Pinch less Rings	12.5cm, 13.5cm, 14.5cm	14mm	65mm, 70mm
297 CUP	Dee Bit Double Jointed 45 Degree angle Mouth, Flat Bottom, KK Curved Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	70mm
25 20 300 SI	Dee Bit Sweet Iron Cambridge Mullen Mouth, Copper Rollers	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	70mm
25 20 301 SI	Dee Bit Sweet Iron Soft Cambridge Mullen Mouth, Copper Rollers	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	70mm

FULL CHEEK BITS



3332 CUP Curved Mouth



3324 CUP Curved Mouth



3333 SB 45 Degree
Offset Curved Mouth



3331 CUP 35 Degree
Offset



304 SS



315 CUP



3311 CUP



3313 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
3332 CUP	Fullcheek Single Jointed Curved Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	50mm	165mm
3324 CUP	Fullcheek Double Jointed Curved Mouth with KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm, 16mm	45mm	127mm
3333 SB	Fullcheek Twisted Joints at 45 Degree Angle Curved Mouth Single Jointed Solid Brass Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm	50mm	165mm
3331 CUP	Full Cheek Dble Jointed 35 Degree Angle Mouth, M.pc CUP 16mm, KK Link CUP 14x14x30mm, Cheeks SS 140mm (5.5")	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	38mm	140mm
304 SS	Full Cheek Egg Butt Snaffle Med Weight	7.5cm, 10cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15.5cm, 17.5cm	14mm	40mm, 45mm, 50mm	102mm, 127mm, 165mm
315 CUP	Full Cheek Single Jointed Cuprium Mouth Bit	12.5cm, 13.5cm, 14.5cm, 15cm	16mm	50mm	165mm
3311 CUP	Full Cheek Single Jointed Cuprium Mouth Bit	10.5cm, 11cm, 11.5cm	18mm	50mm	165
3313 SS	Full Cheek Tongue Freedom Mouth with Curved Link	10.5cm, 11cm, 11.5cm, 12.0cm	12mm	38mm	118mm



3310 SS



3323 CUP



3315 A CUP



3315 SS Link CUP



3325 SS
Roller Mouth Bit
Independent Revolving Movement



3330 SS
Roller Mouth



3312 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
3310 SS	Full Cheek Eggbut Snaffle Quarter Moon Bit	11.5cm, 12cm, 12.5cm, 13.5cm, 14.5cm	12mm	50mm	165mm
3323 CUP	Fullcheek Dble Jointed Cuprium Mouth Bit W/ Tolt Link	10.5cm, 11cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	45mm	127mm
3315 A CUP	Full Cheek Double Jointed Cuprium Bit W/ KK Link	12.5cm, 13.5cm, 14.5cm, 15cm, 16.5cm, 17.5cm	16mm	50mm	165mm
3315 SS	Full Cheek Double Jointed W/ KK Link Cuprium	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm, 16.5cm, 17.5cm	16mm	50mm	165mm
3325 SS	Fullcheek Roller Mouth with Copper Inlays, Independent Side Movement for Better Control	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14.5cm	9mm	38mm	140mm
3330 SS	Full Cheek Roller Mouth Bit, Independent Side Movement	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	50mm	165mm
3312 SS	Full Cheek Fulmer Snaffle W/ KK Link Cuprium	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	50mm, 55mm	178mm
			16mm	50mm	165mm

PESSOA BITS



324 CUP



3380 CUP Curved



330 CUP Tolt Link



3379 SS




331 SS KK Link CUP



336 CUP KK Link



3381 CUP Curved Mouth



3382 SB Curved Mouth
45 Degree Offset



3376 CUP Bent Joints

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
324 CUP	Pessoa 3 Ring Bit, Cuprium Mouth	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm	16mm	50mm, 70mm	127mm, 150mm
3380 CUP	Pessoa 3 Ring Single Jointed Curved Mouth Bit Upper Ring Bent Out words	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm, 16.5cm	12mm	70mm	138mm
330 CUP	Pessoa 3 Ring Dble Jointed Cuprium Mouth Bit with Tolt Link	10.5cm, 11cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm	16mm	50mm, 70mm	127mm, 150mm
3379 SS	Pessoa Dble Jointed 3 Ring Bit with KK Link Upper Ring Bent Out words	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	70mm	138mm
331 SS	Pessoa 3 Ring Dble Jointed Bit W/ KK Link Cuprium	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14.5cm	14mm	50mm, 70mm	127mm, 150mm
336 CUP	Pessoa 3 Ring Dble Jointed Cuprium Mouth Bit W/ KK Link	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15.5cm, 16.5cm	16mm	50mm, 70mm	127mm, 150mm
3381 CUP	Pessoa 3 Ring Double Jointed Curved Mouth Bit with KK Link Upper Ring Bent Out words	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	70mm	138mm
3382 SB	Pessoa 3 Ring Double Jointed 45 Degree Offset Mouth with KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm	70mm	152mm
3376 CUP	Verbindend Bent Joint Pessoa 3 Ring Cuprium Mouth Bit	12.5cm, 13.5cm	16mm	50mm, 70mm	127mm, 150mm

SHOW JUMPING BITS



327 SS Tolt Link



327 A SS KK Link CUP

ICELANDIC BITS



340 CUP
Mouth Dull Polish



340 SS
Mouth Dull Polish



341 CUP
Mouth Dull Polish



341 SS
Mouth Dull Polish



342 SS
Mouth Dull Polish



343 CUP Link CUP

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
327 SS	Show Jumping Bit Double Jointed W/Tolt Link	9.5cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm	50mm, 55mm, 70mm	150mm, 165mm, 190mm
327 A SS	Show Jumping Bit Double Jointed W/KK Link Cuprion	9.5cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm	50mm, 55mm, 70mm	150mm, 165mm, 190mm
340 CUP	Icelandic Bits Single Jointed Cuprion Mouth	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm	12mm	47mm	165mm
340 SS	Icelandic Bits Single Jointed	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm	12mm	47mm	165mm
341 CUP	Icelandic Bit Offset Mouth Cuprion	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm	12mm	47mm	165mm
341 SS	Icelandic Bit Offset Mouth	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm	12mm	47mm	165mm
342 SS	Icelandic Bit Double Jointed W/ Flat Link Copper	10.5cm, 11.5cm, 12cm, 12.5cm	13mm	47mm	165mm
343 SS	Icelandic Bit Double Jointed W/ Tolt link Cuprion	10cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14.5cm	12mm	47mm	165mm



344 SS



346 CUP
Mouth Dull Polish



347 CUP Roller Mouth
Mouth Dull Polish



348 SS
with Curved Link
Complete Dull Polish



4004 SS
Complete Dull Polish



4005 CUP



4005 SS




4008 SS
Complete Dull Polish



4009 SS
Lockup Function
Complete Dull Polish

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
344 SS	Icelandic Bit Double Jointed Flat Mouth W/ Q.Moon Link	11cm, 11.5cm, 12.5cm	13mm	47mm	165mm
346 CUP	Icelandic Cambridge Mouth Cuprium Bit	10.5cm, 11cm, 11.5cm	12mm	45mm	197mm
347 CUP	Icelandic Cambridge Roller Mouth Cuprium Bit, Independent Side Movement.	10.5cm, 11cm, 11.5cm	12mm	45mm	197mm
348 SS	Icelandic Dble Jointed Tongue Freedom Mouth Dull Polish W/ Curved Link Icelandic Double Jointed Dull	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm 10.5cm, 11cm, 11.5cm, 12cm	12mm	47mm	153mm
4004 SS	Polish Bit W/ KK Link	12.5cm	14mm	47mm	165mm
4005 CUP	Icelandic Bit Cambridge Mouth Cuprium Bit	10.5cm, 11cm, 11.5cm	12mm	45mm	190mm
4005 SS	Icelandic Bit Cambridge Mouth SS Bit	10.5cm, 11cm, 11.5cm	12mm	45mm	190mm
4008 SS	Icelandic Single Jointed Bit Dull Polish	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm	12mm	47mm	153mm
4009 SS	Icelandic Single Jointed in Dull Polish, Lockup Function Bit	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm	12mm	47mm	153mm



RUBBER BITS



Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
350 SS	Icelandic Bit Single Jointed	10.5cm, 11cm, 11.5cm, 12.5cm	12mm	45mm	190mm
349 SS	Icelandic Bits Single Jointed, Dull Polish	10.5cm, 11cm, 11.5cm	12mm	45mm	190mm
4001 SS	Icelandic Bit Dble Jointed Tongue Freedom Mouth in Dull Polish	10.5cm, 11cm, 11.5cm, 12.5cm, 13.5cm	12mm	45mm	190mm
4003 SS	Icelandic Dble Jointed Dull Polish Bit W/ Flat Copper Link	10.5cm, 11cm, 11.5cm, 12.5cm	13mm	45mm	190mm
4002 SS	Icelandic Bit Cambridge Mullen Mouth in Dull Polish	10.5cm, 11cm, 11.5cm	10mm	45mm	190mm
4000 CUP	Icelandic Bit Cambridge CUP Mouth Dull Polish	10.5cm, 11.5cm	12mm	45mm	190mm
4000 SS	Icelandic Bit Cambridge mouth in Dull Polish	10.5cm, 11.5cm	12mm	45mm	190mm
1505 R	Loose Ring Double Jointed Rubber Bit W/ Tolt Link	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm	45mm, 50mm 55mm, 65mm	
245 R	Eggbutt Single Jointed Rubber Bit	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm	45mm, 55mm	
247 R	Eggbutt Single Jointed Rubber Bit	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm	55mm	
244 R	Eggbutt Rubber Bit Double Jointed W/ KK Link	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm	14mm	45mm, 50mm	



270 R



271 R



3378 R



329 R



5803 R



557 R



435 R



435 Short Cheek



438 R



438 Short Cheek

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
270 R	Dee Bit Flexible Mouth Rubber Bit	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	20mm	65mm, 70mm	145mm
271 R	Dee Bit Rigid Mouth Rubber Bit	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	20mm	65mm, 70mm	
3378 R	Pessoa Eggbutt Rubber Bit	12.5cm, 13.5cm	18mm	70mm	
329 R	Mullen Flexible Mouth, Upper Ring Bent out Wards	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	45mm, 50mm 55mm, 65mm	190mm
5803 R	Show Jumping Double Jointed Rubber Bit W/ Tolt Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm, 20mm	75mm	
557 R	Little Wonder Flexible Rubber Mouth Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm, 16.5cm	21mm	45mm	
435 R	Half Spoon Dexter Ring Rubber Bit	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm, 20mm	45mm	140mm
435 R	Pelham Mullen Rigid Mouth Rubber Bit Short Cheeks	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm, 20mm	32mm	102mm
438 R	Pelham Jointed Mouth Rubber Bit	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm, 16.5cm	15mm, 21mm	45mm	140mm
438 R	Pelham Jointed Mouth Rubber Bit Short Cheeks	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm, 16.5cm	15mm, 21mm	32mm	102mm



439 R

POLYURATHENE BITS



609 PU



612 PU



616 PU



610 PU



608 PU




632 PU



637 PU



613 PU




614 PU




615 PU


Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
439 R	Pelham Cambridge Mouth Rubber Bit	12.5cm, 13.5cm	20mm	45mm	180mm
609 PU	Loose Ring Single Jointed Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	55mm, 65mm, 70mm	
612 PU	Loose Ring Happy Mouth Bit with Moveable Centre Peanut	12.5cm, 13.5cm, 14.5cm	18mm	65mm, 70mm	
616 PU	Loose Ring Happy Mouth Bit with Revolving Centre Copper Roller	12.5cm, 13.5cm, 14.5cm	18mm	65mm, 70mm	
610 PU	Loose Ring Mullen Tapered Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	65mm, 70mm	
608 PU	Loose Ring Gag Bit Mullen Tapered Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	65mm, 70mm	
632 PU	Eggbutt Single Jointed Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	65mm	
637 PU	Eggbutt Happy Mouth Bit with Moveable Centre Peanut	12.5cm, 13.5cm, 14.5cm	18mm	65mm	
613 PU	Dee Bit Single Jointed Happy Mouth	12.5cm, 13.5cm, 14.5cm	18mm	80mm	
614 PU	Dee Bit Mullen Tapered Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	80mm	
615 PU	Dee Snaffle Happy Mouth Double Jointed with Moveable Center Peanut	12.5cm, 13.5cm, 14.5cm	18mm	80mm	




640 PU



642 PU



641 PU



661 PU



660 PU



662 PU



665 PU



652 PU



653 PU

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
640 PU	FullCheek Single Jointed Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	50mm	165mm
642 PU	Fullcheek Happy Mouth Bit with Moveable Centre Peanut	12.5cm, 13.5cm, 14.5cm	18mm	50mm	165mm
641 PU	Full Cheek Bit Mullen Tappered Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	50mm	165mm
661 PU	Pessoa Single Jointed Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	70mm	152mm
660 PU	Pessoa Happy Mouth Bit with Moveable Centre Peanut	12.5cm, 13.5cm, 14.5cm	18mm	70mm	152mm
662 PU	Pessoa Mullen Tappered Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	70mm	135mm
665 PU	Show Jumping Single Jointed Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	50mm	190mm
652 PU	Pelham Single Jointed Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	45mm	140mm
653 PU	Pelham Mullen Tappered Happy Mouth Bit	12.5cm, 13.5cm, 14.5cm	18mm	45mm	140mm

Royal BITS



1563 SS
Royal lockup Bit



1565 SS
Royal Lockup Bit



1589 MS
Royal Lock up Bit



1564 SS
Royal Lock up Bit



1590 MS
Royal Lock up Bit



1570 SS Royal




1588 MS Royal Curved Mouth



1587 MS Royal Curved Mouth



20 2 2263 MS Royal Curved Mouth



2240 SS Royal



20 2 2264 MS Royal Curved Mouth



2238 SS



20 2 2265 MS


Art. No.	Description	Sizes (cm)	Mouth Thickness	Ring Dia mm
1563 SS	Royal Loose Ring Single Jointed Lockup U Shaped Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	50mm,65mm,70mm
1565 SS	Royal Loose Ring Single Jointed Bent Joint Lock up Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	50mm,65mm,70mm
1589 MS	Royal Loose Ring Single Jointed Lock up Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	50mm,65mm,70mm
1570 SS	Royal Loose Ring Double Jointed Bent Joint	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm	50mm,65mm,70mm
1588 MS	Royal Loose Ring Single Jointed Curved Mouth Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	50mm,65mm,70mm
1588 MS	Royal Loose Ring Dbl Jointed Curved Mouth Bit with SS Ball Link MS	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	50mm,65mm,70mm
2240 SS	Royal Eggbut Single Jointed Bit, Mpc SS 14mm, Rings SS 65x6mm	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm
20 2 2263 MS	Royal Eggbut Single Jointed Curved Mouth Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm
20 2 2264 MS	Royal Eggbut Dble Jointed Curved Mouth in Ms with SS Ring	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm
2238 SS	Royal Eggbut Cambridge Mullen Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	10mm	58mm
20 2 2265 MS	Royal Eggbut Single Jointed Curved Mouth Lockup Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm




2239 MS Lock up Bit



20 2 2266 MS Royal Curved Mouth Lockup Bit



2236 SS Royal Golden



2241 SS Royal Golden



25 20 303 MS Royal



3336 MS
Royal Curved Mouth



3337 MS
Royal Curved Mouth



4407 MS Royal Curved Mouth



4408 MS Royal Roller Mouth

Art. No.	Description	Sizes (cm)	Mouth Thickness	Cheek Length
2239 SS	Royal Eggbutt Dble Jointed Lockup Bit, SS Ball Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	65mm
20 2 2266 MS	Royal Eggbutt Dble Jointed Curved Mouth Lockup Bit, MS Ball Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm
2236 SS	Royal Eggbutt Golden Roller Mouth Jointed Bit with Copper Inlays	11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	70mm
2241 SS	Royal Baucher Golden Roller Mouth with Copper Inlays	13.5mm	9mm	65mm
25 20 303 MS	Royal Dee Bit Curved Mouth Double Jointed Bit, Rings SS Flat, Ball Link MS	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	65mm
3336 MS	Royal Fullcheek Single Jointed Curved Mouth Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	165mm
3337 MS	Royal Fullcheek Double Jointed Curved Mouth Bit with Ball Link MS	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	165mm
4407 MS	Royal Pelham Curved Mouth Double Jointed, Ball Link MS	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	102mm
4408 MS	Royal Pelham Roller Mouth Tapperd Joints	14.5cm	14mm	102mm

SAND BLAST BIT



1507 SS BB



1582 SS BB



1580 SS BB



1559 SS BB



250 SS BB



2247 SS BB



252 SS BB



499 SS BB

KIMBLEWICKS



352 SB 45 Degree Offset Mouth

Art. No.	Description	Sizes (cm)	Mouth Thickness	Ring Dia mm
1507 SS BB	Loose Ring Single Jointed Sand Blast Bit	10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 3.5cm, 14cm, 14.5cm, 15.5cm, 16.5cm	16mm	65mm, 70mm
1582 SS SB	Loose Ring Sand Blast Twisted Joints at 45 Degree Offset Curved Mouth Single Jointed Bit	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	16mm, 21mm	55mm, 65mm, 70mm
1580 SS BB	Loose Ring Sand Blast Double Jointed 45 Degree angled, with KK Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	14mm, 16mm	55mm, 65mm, 70mm
1559 SS BB	Loose Ring Sand Blast Soft Cambridge Mouth	11.5cm, 12cm, 12.5cm	16cm	65mm, 70mm
250 SS BB	Eggbutt Bit Sand Blast Twisted Joints at 45 Degree angle, Curved Mouth, Rings SS Flat	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15mm	18mm	65mm
2247 SS BB	Dee Bit Sand Blast Double Jointed at 45 Degree angle, KK Curved Link	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm, 15cm	14mm, 16mm	65mm
252 SS BB	Dee Bit Sand Blast Double Jointed.	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15cm	9mm	65mm
499 SS BB	Weymouth Sand Blast, Low Port offset Mouth.	12.5cm, 13.5cm	12mm, 14mm	130mm
352 SS SB	Kimblewick Double Jointed 45 Degree offset solid Brass with KK Link	12.5cm, 13.5cm	16mm	63mm

LIGHT WEIGHT BITS



1155 SS



1550 SS



1255 SS



1268 SS



1242 SS



1322 SS



1466 SS

PELHAM BITS



4405 CUP Curved Mouth



4406 CUP Curved

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
1155 SS	Loose Ring Light Wt French Mouth Bit	10.5cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	18mm	65mm, 70mm	
1550 SS	Pinchless Light Wt Loose Ring Jointed Mouth	10.5cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	18mm	65mm, 70mm	
1255 SS	Dee Bit Light weight Pony French Mouth	12.5cm, 13.5cm, 14.5cm	21mm	75mm	
1268 SS	Dee Bit Ligh Wt Jointed Hollow Mouth, Rings with Single Loop	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	21mm	75mm	
1242 SS	Gag Bit Eggbut Light Weight Jointed Mouth	11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	20mm	65mm	
1322 SS	Show Jumping Lt Wt Hollow Mouth, Cheeks Ristricted Movement	10.5cm, 11.5cm, 12cm, 12.5cm, 13.5cm, 14cm, 14.5cm	18mm	50mm, 55mm, 70mm	150mm, 165mm, 190mm
1446 SS	Pinchless Light Wt Pelham Jointed Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm	38mm	145mm
4405 CUP	Pelham Curved Mouth Single Jointed	11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	38mm	145mm
4406 CUP	Pelham Curved Mouth Double Jointed with KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	38mm	145mm



415 CUP



416 SS



419 CUP Short Cheek



419 SS Short Cheek



429 SS Twisted Mouth Short Cheek



431 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
415 CUP	Double Broken Pelham Cuprium Mouth with KK Link	12.5cm, 13.5cm, 14.5cm, 15.5cm, 16.5cm	16mm	38mm	145mm
416 SS	Double Broken Pelham with KK Link	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm	38mm	145mm
419 CUP	Pelham Jointed Mouth with Short Cheeks	12.5cm, 13.5cm, 14.5cm, 15.5cm	16mm	32mm, 45mm	102mm, 140mm
419 SS	Pelham Jointed Mouth with Short Cheeks	12.5cm, 13.5cm, 14.5cm, 15.5cm	16mm	32mm, 45mm	102mm, 140mm
429 SS	Pelham Twisted Mouth with Short Cheeks	12.5cm, 13.5cm, 14.5cm	14mm	32mm	102mm
431 SS	Pelham Jointed Mouth	12.5cm, 13.5cm, 14.5cm	14mm	45mm	140mm



450 SS Roller Mouth,
Independent Side Movement



449 SS Roller Mouth,
Independent Side Movement



445 SS



428 SS



432 SS



421 SS



430 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
450 SS	Pelham Roller Mouth Bit with Double Copper Rollers and Copper Inlays, Tapperd Joints	11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm, 14mm, 16mm	32mm	102mm
449 SS	Pelham Roller Mouth Bit with Copper Inlays, Independent Side Movement	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	32mm	102mm
445 SS	Pelham Pinchless Jointed Mouth	11.5cm	14mm	32mm	102mm
428 SS	Spanish Pelham Ribbed Mouth Med Port	12.5cm, 13.5cm, 14.5cm	18mm	25mm	140mm
432 SS	Spanish Pelham Cambridge Mouth Med Port	12.5cm, 13.5cm, 14.5cm	18mm	25mm	135mm
421 SS	Pelham Cambridge Mouth Med Port	12.5cm, 13.5cm, 14.5cm	18mm	38mm	133mm
430 SS	Pelham Cambridge Mouth Thin Med Port	11.5cm, 12.5cm, 13.5cm	14mm	45mm	140mm



4403 CUP 45 Degree Angle



45 Degree Bent Joint

4404 CUP With 45 Degree Bent Joint



417 CUP With 3 Changeable Mpc



446 SS

WEYMOUTH BITS



463 CUP



463 SS



457 SS



457 SB

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
4403 CUP	Pelham Double Jointed 45 Degree Angle Mouth	12.5cm, 13.5cm, 14.5cm	16mm	32mm	102mm
4404 CUP	Verbindend Pelham Double Jointed with 45 Degree Angle Bent Joints	12.5cm, 13.5cm, 14.5cm	16mm	32mm	102mm
417 CUP	Pelham with 3 Changeable Mouth PCS. Single Jointed, Tongue Mouth & Mullen Mouth	12.5cm, 13.5cm, 14.5cm	16mm	38mm	145mm
446 SS	Pelham Cambridge Ported Mouth	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	10mm	32mm	102mm
463 CUP	Weymouth Low Port Round Shanks Bent Outwards	10.5cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm	12mm		127mm
463 SS	Weymouth Low Port Round Shanks Bent Outwards	10cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm	12mm		127mm
457 SS	Weymouth Med Port, Round Shanks Bentout	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		138mm
457 SB	Weymouth Med Port Solid Brass, Round Shanks Bentout	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		138mm



498 SS



498 SB



496 SS Low Port



496 SB Low Port



469 CUP Low Port, Oval Shanks

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
498 SS	Weymouth Med Port, Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		117mm
498 SB	Weymouth Med Port, Solid Brass, Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		117mm
496 SS	Weymouth Low Port Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm		138mm
496 SB	Weymouth Low Port, Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm		138mm
469 CUP	Weymouth Low Port Solid Brass, Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	15mm		133mm



497 SB Low Port



497 SS Low Port



451 SS 5 Inches Sliding Cheeks



451A SS 4 Inches Sliding Cheeks



468 A SS



482 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
497 SB	Weymouth Low Port Solid Brass, Round Shanks Bentout	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm		117mm
497 SS	Weymouth Low Port, Round Shanks Bentout	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm		117mm
451 SS	Weymouth Medium Port Bit, Cheeks SS Sliding 5"(127mm), Sliding Space Between Mouth & Cheek 12.5mm	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm		127mm
451A SS	Weymouth Medium Port Bit, Cheeks SS Sliding 4"(102mm), Sliding Space Between Mouth & Cheek 12.5mm	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm		102mm
468A SS	Weymouth Medium Port Sliding 4" Cheeks	11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm		102mm
482 SS	Weymouth Medium Port Sliding Cheeks	11cm, 12.5cm, 13.5cm	16mm		135mm



469 A SS



481 SS



484 CUP



483 SS
Rotating Mouth



488 CUP
30 Degree Offset Mouth



492 CUP Low Port
30 Degree Offset Mouth



493 CUP Medium Port
30 Degree Offset Mouth

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
469A SS	Weymouth Medium Port with 7" Cheeks	12.5cm, 13.5cm	15mm		180mm
481 SS	Weymouth Mullen Mouth	11.5cm, 12.5cm, 13.5cm	14mm		135mm
484 CUP	Weymouth Mullen Forward Curved Mouth	14.5cm	14mm		140mm
483 SS	Weymouth Medium Port Revolving Mouth	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	14mm		127mm
488 CUP	Weymouth Low Port 30 Degrees Offset Mouth (Round Shanks)	13.5cm, 14.5cm	16mm		140mm
492 CUP	Weymouth Low Port Offset Mouth 30 Degree Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		140mm
493 CUP	Weymouth Medium Port Offset Mouth 30 Degree, Round Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		140mm



459 CUP Low Port
Cheeks SS



460 CUP Low Port



494 CUP Medium Port



495 CUP 45 Degree Offset



485 A SS



485 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
459 CUP	Weymouth Solid Mouth Special Low Port, Oval Shanks Bent Outwards	11.5cm, 12.5cm, 13.5cm, 14.5cm	18mm		133mm
460 CUP	Weymouth Solid Cuprium Mouth Special Low Port (Oval Shanks)	11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm	18mm		140mm
494 CUP	Weymouth Med Port, Large Ring on Mouth 50x5mm, Small Ring 20x5mm, Shanks Twisted	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		114mm
495 CUP	Weymouth Double Jointed 45 Degree angle Forward, Large Ring on Mouth 50x5mm, Small Ring 20x5mm, KK Link	11.5cm, 12.5cm, 13.5cm, 14.5cm	16mm		102mm
485A SS	Weymouth Adjustable System with Loop, Fitted with High Port	13.5cm	12mm		175mm
485 SS	Weymouth Adjustable System without Loop, Fitted with Medium Port	13.5cm	16mm		175mm

WEYMOUTH BRADOONS



470 CUP



470 SB with SB Rings



470 CUP, SB Rings



47 2 0494 CUP Curved Mouth



47 2 0499 SB Twisted Mouth



4720 SS



4720 CUP



47 2 0495 CUP Curved Mouth



47 2 0498 SB 45 Degree Offset



475 CUP



475 SS



47 2 0496 CUP

Art. No.	Description	Sizes (cm)	Mouth Thickness	Ring Dia mm
470 CUP	Weymouth Bradoon Cuprium Mouth Bit	9.5cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm, 15.5cm	12mm	50mm, 55mm, 65mm
470 SB	Weymouth Bradoon Solid Brass Bit	9.5cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm, 15.5cm	12mm	50mm, 55mm, 65mm
470 CUP	Weymouth Bradoon Cuprium Mouth W/SB Rings	9.5cm, 10.5cm, 11cm, 11.5cm, 12cm, 12.5cm, 13cm, 13.5cm, 14cm, 14.5cm, 15.5cm	12mm	50mm, 55mm, 65mm
47 2 0494 CUP	Loose Ring Weymouth Bradoon Curved Mouth Single Jointed	12cm, 13cm, 14cm	10mm	50mm
47 2 0499 SB	Loose Ring Weymouth Bradoon Single Jointed Solid Brass, Twisted Joints at 45 Degree Angle	12cm, 13cm, 14cm	14mm	55mm
4720 SS	Loose Ring Weymouth Bradoon Dble Jointed Bit with KK link	12cm, 13cm, 14cm		
4720 CUP	Loose Ring Weymouth Bradoon Dble Jointed Bit, KK Link	12cm, 13cm, 14cm	12mm	55mm
47 2 0495 CUP	Loose Ring Weymouth Bradoon Curved Mouth Dble Jointed, KK Link	12cm, 13cm, 14cm	12mm	50mm
47 2 0498 SB	Loose Ring Weymouth Bradoon 45 Degree Angled Double Jointed Solid Brass, KK Link SB	12cm, 13cm, 14cm	14mm	55mm
475 CUP	Eggbutt Dressage Bradoon Single Jointed Cuprium Bit	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	45mm, 50mm
475 SS	Eggbutt Dressage Bradoon Single Jointed	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	45mm, 50mm
47 2 0496 CUP	Eggbutt Weymouth Bradoon Curved Mouth Single Jointed, Olive Rings	12cm, 13cm, 14cm	12mm	50mm



489 CUP



489 SS



233 SS



47 2 0497 CUP Curved Mouth

DRIVING BITS



512 SS



516 SS



513 GS Offset Moth



514 CUP Mouth

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
489 CUP	Eggbutt Weymouth Bradoon Cuprium Bit W/ KK Link	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm	12mm	45mm, 50mm	
489 SS	Eggbutt Weymouth Bradoon W/ KK Link	9.5cm, 10.5cm, 11.5cm, 12.5cm, 13.5cm	12mm	45mm, 50mm	
233 SS	Eggbutt Snaffle Double Jointed Bit W/ KK Link	10.5cm, 11.5cm, 12.5cm, 13.5cm	12mm	45mm, 50mm, 55mm	
47 2 0497 CUP	Eggbutt Weymouth Bradoon Curved Mouth Double Jointed, Olive Rings, KK Link		10mm	50mm	
512 SS	2 Slot Liverpool Double Jointed Mouth	12.5cm, 13.5cm, 14.5cm	16mm	55mm	155mm
516 SS	Liverpool 3 Slots Ribbed Mouth Fixed Cheeks	12.5cm, 13.5cm	15mm	65mm	220mm
513 GS	Fixed Cheeks 3 Slots Bit With Offset German Silver Mouth Pc	14.5cm	16mm	55mm	185mm
514 CUP	Liver Pool 2 Slot Fixed Cheeks Solid Mouth Special Low Port	14.5cm	16mm	55mm	160mm



596 CUP



593 NP




582 SS



579 SS



556 CUP



556 SS



558 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
596 CUP	Butter Fly 2 Ring Fixed Cheeks Cambridge Mouth	14.5cm	16mm	45mm	150mm
593 NP	Butter Fly 2 Ring Liver Pool Mullen Mouth	10.5cm, 11cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm, 15.5cm	12mm	25mm	110mm
582 SS	Butter Fly 2 Ring Liver Pool with Double Broken Mouth	12.5cm, 13.5cm, 14.5cm	18mm	45mm	135mm
579 SS	Butter Fly 2 Ring Curved Ribbed Mouth Driving Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm, 15.5cm, 16.5cm	16mm	25mm	110mm
556 CUP	Driving Bit Half Spoon Double Jointed with KK Link	12.5cm, 13.5cm, 14.5cm	16mm	45mm	110mm
556 SS	Driving Bit Half Spoon Double Jointed with KK Link	12.5cm, 13.5cm, 14.5cm	16mm	45mm	110mm
558 SS	Half Spoon Trotting Bit	10.5cm, 11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	45mm	110mm



545 CUP



545 SI



546 B SB



1504 SS



5848 SI



5849 SI



5840 SI



5840 A CUP

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
545 CUP	Dexter Ring Bit Cuprium Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	45mm	50mm
545 SI	Dexter Ring Bit Sweet Iron Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	45mm	
546 B SB	Anti-Rearing Brass Bit	11.5cm, 12.5cm, 13.5cm	8mm	25mm	
1504 SS	Driving Bit W Shaped	11.5cm	6mm	15mm	
5848 SI	Western Dee Bit Sweet Iron Cambridge Mullen Mouth with Copper Rollers	12.5cm, 13.5cm, 14.5cm	14mm	70mm	
5849 SI	Western Dee Bit Sweet Iron Cambridge Mullen Mouth, Copper Rollers	12.5cm, 13.5cm, 14.5cm	14mm	70mm	
5840 SI	D Ring Snaffle Sweet Iron Mouth W/ Copper Inlays	12.5cm, 13.5cm, 14.5cm	11mm	75mm	
5840 A CUP	D Ring Snaffle Cuprium Mouth	10.5cm, 11cm, 11.5cm, 12.5cm	11mm	75mm	



5840 SS



5846 SS SI Curved Mouth



5843 SS



5844 CO



5845 MS SI




5836 SS




1512 SS



5842 SI Copper Rollers



5839 SS SI Roller Mouth



5837 SS Roller Mouth



5838 SS Roller Mouth



5841 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
5840 SS	D Ring Snaffle Copper Inlays	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	75mm	155mm
5846 SI	D Ring Snaffle Sweet Iron Bit	11.5cm, 12.5cm, 13.5cm, 14.5cm	12mm	80mm	
5843 SS	D Ring Snaffle Twisted Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	75mm	
5844 CO	D Ring Snaffle Twisted Copper Mouth	11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	75mm	
5845 MS SI	D Ring Snaffle Sweet Iron with Copper Inlays	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	75mm	
5836 SS	Western Dee Bit Double Jointed with Copper Inlays, Link SS Dog Bone with 3 Copper Rings	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	75mm	
1512 SS	Loose Ring Driving Bit Double Mouth	12.5cm, 13.5cm, 14.5cm	16mm	55mm	
5842 SI	Western Loose Ring Dble Jointed Sweet Iron Bit W/Copper Rollers	12.5cm, 13.5cm, 14.5cm	13mm	65mm, 70mm	
5839 SS SI	D Ring Snaffle Sweet Iron Roller Mouth with Copper Inlays	11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	75mm	
5837 SS	Western Dee Bit Roller Mouth with Dble Copper Roller with Copper Inlays, SS Roller with Double Copper Rowels	11.5cm, 12.5cm, 13.5cm, 14.5cm	9mm	75mm	
5838 SS	Western Myler Dee Bit Roller Mouth with Dble Copper Roller Bit with Copper Inlays, SS Roller with Double Copper Rowels	11.5cm, 12.5cm, 13.5cm, 14.5cm	11mm	75mm	
5841 SS	Western Roller Mouth Dee Bit with Independent Side Movement	12.5cm, 13.5cm, 14.5cm	11mm	70mm	



5813 SI Copper Roller



5814 SS With Copper Inlays



5703 NP



5704 SS



5630 SS



5853 SS



5855
Hackamore Cheeks



5865 CUP



5865 SI



5865 SS

Art. No.	Description	Sizes available (cm)	Mouth Thickness	Ring Dia(mm)	Cheek Length
5813 SI	Western Bit Sweet Iron Mouth With Sliding CO Roller	10.5cm, 11.5cm, 12.5cm, 13.5cm	12mm	32mm	140mm
5814 SS	Western Bit w/Copper Inlays	10.5cm, 11cm, 11.5cm, 12.5cm	11mm		140mm
5703 NP	Western Bit in MS Nickle Plated	11.5cm, 12.5cm, 13.5cm	12mm		190mm
5704 SS	Western Congress Bit	12.5cm	16mm		180mm
5630 SS	Training Bit with Hinge Ported Roller Mouth	12.5cm		45mm	216mm
5853 SS	Hackamore Cheeks				177mm
5855 SS	Hackamore Cheeks S Shaped				192mm
5865 CUP	Camp Draft Bit Single Jointed Cuprium Mouth	12.5cm	11mm	85mm	
5865 SI	Camp Draft Bit Single Jointed Sweet Iron Mouth	12.5cm	11mm	85mm	
5865 SS	Camp Draft Bit Single Jointed	12.5cm	11mm	85mm	

SPURS



751 SB



775 SB



799 SS



763 SS



784 SS With SB Rowel



782 SS 30 mm



785 SS 40 mm



776 SS 40 mm



776 30 mm



6050 SS



767 SB



768 GS



746 SS



744 SS



745 SS

Art. No.	Description	Sizes
751 SB	POW Spur Ladies Solid Brass (Rectangle Shanks)	6mm, 10mm, 20mm, 25mm, 30mm, 40mm
775 SB	POW Spur Ladies Solid Brass (Rectangle Shanks)	25mm
799 SS	POW Spur Gents (Rectangle Shanks)	30mm
763 SS	Ball Neck Spur ladies	20mm, 25mm, 30mm
784 SS	Dressage Rowel Spur Ladies w/ 8 Teeth SB Rowel No 3	25mm, 30mm
782 SS	Dressage Rowel Spur Ladies w/ SB Rowel No 2	30mm
785 SS	Dressage Rowel Spur Mens w/SB Rowel No 2, Neck Thcknes 3/8"	40mm
776 SS	Standard Spur Round Head, Rectangle Shanks	30mm, 40mm
6050 SS	Open Shank Spur	15mm, 20mm, 25mm, 30mm
767 SB	Dummy Spur Gents Solid Brass	15mm, 25mm, 35mm
768 GS	Dummy Spur Ladies German Silver	15mm, 25mm, 30mm
746 SS	Fine Spur Gents with Round Neck	25mm
744 SS	Fine Spur Gents with Ball Rowel No 15	30mm
745 SS	Fine Spur Gents Bent neck with Smooth Rowel No 14	30mm



747 SS Bent Neck



748 SS



70 1 0800 SS 15 mm



70 1 0800 SS 20 mm



70 1 0800 SS 30 mm



70 1 0801 SS 15 mm



70 1 0801 SS 20 mm



70 1 0801 SS 30 mm



70 1 0802 SS 40 mm



70 1 0803 SS 40 mm



70 1 0804 SS 40 mm



721 SS (Rowel SB)



722 SS



5956 SS



Art. No.	Description	Sizes
747 SS	Fine Spur Gents Tappered Rectangle Shanks, Neck Curved Inwards, Smooth Brass Rowel	35mm
748 SS	Fine Spur Gents Tappered Rectangle Shanks, Neck Straight, Smooth Brass Rowel	25mm
70 1 0800 SS	Fine Spur Gents Tappered Rectangle Shanks with Ball Neck	15mm, 20mm, 30mm
70 1 0802 SS	Fine Spur Gents Tappered Rectangle Shanks with Drop Neck	40mm
70 1 0803 SS	Fine Spur Gents Tappered Rectangle Shanks with Drop Neck, Teeth Rowel No 11	40mm
70 1 0804 SS	Fine Spur Gents Tappered Rectangle Shanks with Drop Neck, Smooth Rowel No 14	40mm
721 SS	Spanish Spur W/ SB Rowel No.10	25mm
722 SS	Spanish Spur with 8 Teeth Rowel	50mm
5956 SS	Camp Draft Western Spur With SB Rowel No 17, SB Button	57mm



6005 A Bent Neck



6006 SS



6007 SS Offset Neck



6007 A SS Offset Neck



6008 SS



6009 SS



6010 SS Bent Neck



6011 SS Offset Neck

RUBBER SPURS



6040 R



6041 R



6042 R



6051 R



6052 R



6053 R



6054 R



6057 R



6059 R

Art. No.	Description	Sizes
6005 A SS	Quick on Spur Bent Neck with w/Smooth Rowel No.14	35mm
6006 SS	Quick on Silver Spurs with Smooth SS Rowel No.14	25mm
6007 SS	Quick on Silver Spur Bent Offset Neck w/Teeth Rowel No.11	45mm
6007 A SS	Quick on Silver Spur Bent Offset Neck w/Smooth Rowel No.14	45mm
6008 SS	Quick on Silver spurs Ball Head	15mm, 20mm, 25mm, 30mm, 35mm
6009 SS	Quick on Silver Spurs Round Neck	15mm, 20mm, 25mm, 30mm
6010 SS	Quick on Silver spurs Bent Neck Ball Head	35mm
6011 SS	Quick on Silver spurs SS, Bent Off Set Neck Ball Head	35mm
6040 R	Rubber Covered Rectangle Shank Spurs (Unisex)	25mm
6041 R	Rubber Covered Rectangle Shank Spurs (Unisex) Smooth Rowel No 14	20mm
6042 R	Rubber Covered Rectangle Shank Spurs (Unisex)with SB Rowel No 3	25mm
6051 R	Open Shank Rubber Spur	30mm
6052 R	Open Shank Rubber Spur With Smooth Rowel No 14	20mm
6053 R	Open Shank Rubber Covered Spur With SB Rowel No 3	15mm, 20mm, 25mm, 30mm
6054 R	Open Shank Rubber Covered Dummy Spurs	15mm, 20mm, 25mm, 30mm
6057 R	Dummy Rubber Coverd Spur Unisex Oval Shank	15mm
6059 R	Open Shank Rubber Spur With SB Teeth Rowel No 1	25mm

CHAIN & HOOKS



901 SB



904 NP



904 SB




937 SS




920 SS



920 SB




920 B SB



939 SS



924 SS



936 SS



933 SS

STIRRUP BAR




941 A SS



934 SS

Art. No.	Description	Sizes
901 SB	Curb Chain 24 +1 Links Available in SS, Brass, Nickle Plated	9", 9 1/2"
904 NP	Curb Chain Double Link (Oval) 24+1 Links SS	9"
904 SB	Curb Chain Double Link 24 +1 Links	9"
937 SS	Curb Hooks	Std
920 SS	Curb Hooks for Kimblewick, Pelham, Driving Bits	Std
920 SB	Curb Hooks for Kimblewick, Pelham, Driving Bits	Std
920 B SS	Curb Hooks	Std
939 SS	Link Hooks	Std
924 SS	Curb Hooks	39mm
936 SS	Curb Hooks	Std
933 SS	SS Hooks Spring open	Std
934 SS	SS Hooks Lock with Locking System	Std
941 A SS	Stirrup Bar	115mm, 140mm, 165mm

BUCKLES



GROOMING AIDS



PACKING STYLES



We also supply customized packing

Art. No.	Description	Sizes
10010 SS	Girth Buckle	3"
10011 SS	Dee Ring	27 mm
10009 SS	Oval Ring	20 X 8 mm
10017 SB	Brass Button	37 mm Dia
10003 SS	Wire Buckle	28 mm X 52 mm X 5 mm
10013 SS	Hackamore Buckle	35 X 23 mm
10006 SS	Buckle for long Chap	30 X 23 X 35 mm
10014 SS	Triangle Double Buckle Large size With Double Rollers	81 mm X 53 mm X 27 mm
10002 SS	Wire Buckle with Roller	20 mm
10018 SS	Buckle	16 mm
10015 SS	Double Buckle with Roller	27 mm
10016 SS	Girth Buckle	27 mm
2170 ZP	Tow Row Curry Comb 21 & 22 Teeth Zinc Plated	5"
2180 SS	31 Blade Comb	Std
PK 06	Bit Card Designing Custom made.	Small size 16 cm X 22 cm, Large size 23 cm X 22 cm
PK 05	Round Bit Card Designing Custom made.	10 cm Dia
PK 04	Side Zip Bag Large for Bits. Available in Black, Blue, Red & Green Colours	31 cm X 22 cm
PK 01	Side Zip Bag Small for Bits. Available in Black, Blue, Red & Green Colours	31 cm X 12 cm